

TherMatrix® Office Thermo Therapy

BIBLIOGRAPHY

PEER REVIEWED JOURNAL ARTICLES

2000

Periurethral transurethral microwave thermotherapy for the treatment of benign prostatic hyperplasia: an interim 1-year safety and efficacy analysis using the thereat TMx-2000

Albala DM, Turk TM, Fulmer BR, Koleski F, Andriole G, Davis BE, Eure GR, Kabalin JN, Lingeman J, Nuzzarello J, Sundaram C TECH UROL. 2000 DEC;6(4):288-93

2001

How to perform microwave thermotherapy in the office

Albala DM
UROLOGY TIMES NOV 2001

Office-based transurethral microwave thermotherapy for benign prostatic hyperplasia (BPH) using the TherMatrix™ TMX-2000; results of a multi-center prospective randomized sham-controlled trial

Kabalin JN, Albala DM, Koleski F, Andriole GL, Sundaram C, Davis BE, Eure GR, Lingeman JE, Nuzzarello J
J UROL 2001 ABSTRACT 1506

2002

Transurethral microwave thermotherapy (TUMT) using the TherMatrix TMS-2000™: a quantitative assessment of patient tolerance

Albala D, Nuzzarello J, Kabalin JN, Andriole GL, Eure GR, Davis BE, Lingeman JE
J UROL 2002 ABSTRACT 1165

Comparing complications seen in the use of microwave devices for the treatment of benign prostatic hyperplasia: Urologix vs EDAP vs. Dornier vs. TherMatrix

Albala D
J UROL 2002 ABSTRACT 1154

Comparison of premarket analysis (PMA) studies from four leading manufactures of microwave therapy (TUMT) devices for the treatment of benign prostatic hyperplasia

McWhorter R, Fulmer BR, Albala D
J UROL 2002 ABSTRACT 1152

Office-based transurethral microwave thermotherapy using the TherMatrix TMx-2000

Albala DM, Fulmer BR, Turk TM, Koleski F, Andriole G, Davis BE, Eure GR, Kabalin JN, Lingeman JE, Nuzzarello J, Sundaram C
J ENDOUROL. 2002 FEB;16(1):57-61

2003

Transurethral microwave thermotherapy (TUMT) using the TherMatrix TMX-2000™; durability exhibited in a study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia

Albala DM, Siddiqui K, Kabalin J, Nuzzarello J, Davis B, Andriole G, Lingeman J, Eure G.
J ENDOUROLOGY SEP 2003;17(SUPPL.1):A11 ABSTRACT MP02.11

Office-based transurethral microwave thermotherapy using the TherMatrix TMx-2000

Kaplan SA
J UROL APR 2003;169(4):1618-9

Transurethral microwave thermotherapy (TUMT) using the TherMatrix TMS-2000: durability exhibited in a study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia (BPH).

Albala DM, Andriole G, Davis BE, Eure GR, Kabalin JN, Lingeman JE, Nuzzarello J, Risk I
J UROL 2003 ABSTRACT 1746

Office-based transurethral microwave thermotherapy using TherMatrix TMx-2000

Kaplan SA
J Urol. 2003 Apr;169(4):1618-9

2004

Transurethral microwave thermotherapy (TUMT) using the TherMatrix TMX-2000™: durability exhibited in a study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia (BPH)

Kabalin J, Albala D, Nuzzarello J, Davis B, Andriole G, Lingeman J, Eure G
68TH ANNUAL SOUTHEASTERN SECTION AUA MARCH 24-27, 2004. ORANGESTAD, ARUBA POSTER #18

TherMatrix® Office Thermo Therapy

BIBLIOGRAPHY

PEER REVIEWED JOURNAL ARTICLES

Transurethral microwave Thermotherapy (TUMT) using the TherMatrix TMS-2000™: durability exhibited in a study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia (BPH)

Albala D, Kabalin J, Nuzzarello J, Davis B.

J ENDOUR NOV 2004;18(SUPPL.1):A77 ABSTRACT 998. 22ND WORLD CONGRESS ON ENDOUROLOGY & SWL NOV 2-5, 2004 MUMBAI-INDIA

2005

Transurethral microwave Thermotherapy (TUMT) using the TherMatrix TMS-2000: improved sexual function exhibited in a randomized, blinded study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia (BPH)

Tepera C, Albala D, Andriole G, Davis BE, Kabalin JN, Lingeman J, Nuzzarello J, Eure GR.

52nd Annual-James C Kimbrough Urological Seminar Jan 16-21, 2005 Honolulu, Hawaii

Heat patterns, necrosis vary for BPH systems

Tennant S

Urology Times Mar 1, 2005

BPH treatment device may improve sexual function

Tennant S

Urology Times Apr 1, 2005

Transurethral microwave Thermotherapy (TUMT) using the TherMatrix TMX-2000; long-term results in a study comparing TUMT with a sham procedure in patients with benign prostatic hyperplasia (BPH)

Albala DM, Andriole GL, Davis B, Eure G, Kabalin JN, Lingeman JE, Nuzzarello J

J Urol May 25, 2005;173(4) suppl. :420 abstract # 1551

In vivo temperature mapping of prostate during treatment with TherMatrix TMx-2000 device: heat field and MRI determinations of necrotic lesions.

Larson B, Huidobro C, Acevedo C, Busel D, Mynderses L, Collins J, Larson T.

J ENDOUROL. 2005 OCT;19(8):1021-5

2006

Transurethral microwave Thermotherapy (TUMT) using the TherMatrix TMS-2000 for treatment of benign prostatic hyperplasia: 5-year follow-up of Multicentre randomised pivotal trial

Albala D, Andriole G, Davis B, Eure G, Kabalin J, Lingeman J, Nuzarello J

EUR UROL SUPP. APR 2006;5(2):234

EUROPEAN ASSOCIATION OF UROLOGY PARIS, FRANCE 5-8, APRIL 2006

Transurethral microwave thermotherapy (TUMT) using the TherMatrix TMX-2000 for treatment of benign prostatic hyperplasia: five year follow-up of multicenter randomized pivotal trial

Albala DM, Andriole GL, Davis B, Eure G, Kabalin JN, Lingeman JE, Nuzzarello J

SUFU-SOCIETY FOR URODYNAMICS & FEMALE UROLOGY. FEB 22-25, 2006-WINTER MEETING GRAND BAHAMA ISLAND